

STUDIO TECHNICAL SPECIFICATION

TECHNICAL CONTACTS

Technical Manager

Clive Stevenson 01865 319451 stevensonc@thenorthwall.com

Stage Manager

Rebecca Welburn 01865 319451 welburnr@thenorthwall.com

Address

The North Wall Arts Centre
South Parade
Oxford
OX2 7JN

LOCATION

The studio is located on the first floor of The North Wall Arts Centre, which is north of Oxford city centre, a short walk from the shops, cafes and amenities of Summertown, and has a frequent bus service to the city centre. The North Wall is on a one way street and so must be accessed from the East side (off Banbury Road, between HSBC and Sainsbury's).

There is ample parking for cars and vans to unload/load next to the theatre, and free, long term parking a few minutes' walk away.

GET IN ACCESS

	Width	Height	Diagonal
Main door	1.24m	2m	2.34m
Lift doors	0.79m	2m	2.18m

There is a corner immediately before the main door.

THE SPACE

Width 9.9m
Depth 12m
Height to grid 3.5m

Actual playing space will be smaller due to the seating bank and any additional seating.

The studio has a permanently installed seating bank in an end-on configuration, and a crossover/back stage area opposite. There are tabs on tab track along the upstage and offstage walls.

There is a fixed grid of lighting bars for rigging. Additional rigging of bars etc on this grid are possible, but must be arranged via the venue technician.

STUDIO TECHNICAL SPECIFICATION

LIGHTING

Control

1 ETC Ion with 2x10 Fader Wing

Dimming

36 ways Zero88 Betapack 3 10A dimmers

18 ways Strand SD6 10A dimmers

Lanterns

The Studio space has a fixed rig of the following;

12	Selecon Acclaim Fresnel	650W
6	PAR64 (CP60, CP61, CP62)	1000W
12	ETC ColourSource PAR	LED

Additional lanterns, which are shared with the main theatre space, can be used. Plans should be forwarded ASAP.

Theatre lantern stock:

18	Source 4 Jr. 25/50°	575W
18	Source 4 Zoom 25/50°	575W
10	Source 4 26°	575W
6	Source 4 19°	575W
12	Selecon Rama PC	1200W
14	Selecon Acclaim Fresnel	650W
10	Robert Juliat 306H PC	1000W
40	PAR64 (CP60, CP61, CP62)	1000W
8	PAR16 Birdie & transformer	50W
8	Thomas cyc flood	1000W
18	ETC Deep Blue ColorSource PAR LED	
1	Unique 2.1 Hazer	

STUDIO TECHNICAL SPECIFICATION

SOUND

All microphones and accessories are shared with the main theatre. Plans should be sent ASAP.

Mixing

1 14 channel analogue mixer Allen & Heath MixWizard

Mac

1 Mac Mini, running:
Qlab 4

Stage I/O

2 8 way analogue stage box

Playback

1 CD player Denon DN-C635

Speakers

2 Tannoy V12

Wired Microphones

Dynamic

7 Sure SM58
3 Sure SM57
1 Beyerdynamic M99

Condenser

2 AKG C214
4 Behringer C2
2 AKG C1000
1 Oktavia MK219

Other

2 AKG C747
2 AKG PCC160

Accessories

4 Active DI Box Behringer Ultra DI 100
2 2 Channel Active DI Box Behringer D120 Ultra

7 Short boom microphone stand
11 Tall boom microphone stand
3 Telescopic upright microphone stand